

(Attachment)

Docket No. F-6916

Ser. No. 09/815,571

AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

Listing of Claims

1. (Currently Amended) A game system in which an object is arranged in a virtual three-dimensional space, comprising:

a display device for displaying a game screen;

an input device for outputting signals according to operations by a player; and

a game control device for executing a game according to a predetermined program while checking the output of the input device and displaying a visual field image including said object moving to a moving direction on the game screen through the display device, the visual field image being viewed from a view point position in the virtual three-dimensional space,

wherein the game control device comprises:

a position determining device for determining a view point position between a first view point position which is a back and slightly inclined position toward the moving direction of said object to view an observation point set forward of said object moving to the moving direction, and a second view point position on a side of said object relative to the moving direction and from which the observation point is viewed fixed in a lateral direction to the moving direction regardless of the movement of said object in accordance with a state of said object; and

Docket No. F-6916

Ser. No. 09/815,571

a switch control device for switching between the first view point position and the second view point position when said object reaches a predetermined position, the switch control device being arranged to move between the first and second view point positions on a line between them when they are switched, and while switching between the first and second view point positions, displaying the view field image from moving view point positions on the line between the first and second view point positions.

2. (Currently Amended) A game system displaying an image on the game screen captured by a virtual camera from a predetermined view point position to an object moving in a virtual three-dimensional space in accordance with a player's operation, wherein the game system comprises:

a view point position setting device for setting a first view point position from which a predetermined observation point is viewed while following a movement of an operation object which is a back and slightly inclined position toward a moving direction of said object to view an observation point set forward of said object moving to the moving direction, and a second view point position from which said operation object is viewed in a predetermined fixed direction on a side of said object relative to the moving direction and from which the observation point is viewed fixed regardless of the movement of said object in accordance with a state of said object;

and

Docket No. F-6916

Ser. No. 09/815,571

a virtual camera setting device for arranging said virtual camera by switching alternatively said first view point position to said second view point position corresponding to a state of said operation object and for moving said virtual camera along a virtual line connecting said first view point position with said second view point position while keeping a state of capturing said operation object when the view point position is switched.

3-7. (Cancelled)

8. (Currently Amended) A computer readable recording medium recording a program for allowing a computer, included in a game system in which an object is arranged in a virtual three-dimensional space, to function as the following:

a display device for displaying a game screen;
an input device for outputting signals according to operations by a player; and
a game control device for executing a game according to the program while checking the output of the input device and displaying a visual field image including said object moving in a moving direction on the game screen through the display device, the visual field image being viewed from a view point position in the virtual three-dimensional space,

wherein the game control device comprises:

Docket No. F-6916

Ser. No. 09/815,571

a position determining device for determining one view point position between a first view point position which is a back and slightly inclined position toward the moving direction of said object to view an observation point set forward of said object moving to the moving direction, and a second view point position on a side of said object relative to the moving direction and from which the observation point is viewed fixed in a lateral direction to the moving direction regardless of the movement of said object in accordance with a state of said object; and

a switch control device for switching between the first view point position and the second view point position when said object reaches a predetermined position, the switch control device being arranged to move between the first and second view point positions on a line between them when they are switched, and while switching between the first and second view point positions, displaying the view field image from moving view point positions on the line between the first and second view point positions.

9. (Currently Amended) A computer readable storage medium including a program for allowing a computer constituting a game system, the game system displaying a picture captured by a virtual camera from a predetermined view point position to an object moving in accordance with a player's operation in a virtual three-dimensional space, to function as:

Docket No. F-6916

Ser. No. 09/815,571

a view point position setting device for setting a first view point position to view a predetermined observation point following a movement of an operation object which is a back and slightly inclined position toward a moving direction of said object to view an observation point set forward of said object moving to the moving direction and a second view point position to fixedly view said operation object in a predetermined direction on a side of said object relative to the moving direction and from which the observation point is viewed fixed regardless of the movement of said object in accordance with a state of said object; and

a virtual camera setting device for arranging said virtual camera by switching said first view point position alternatively to said second view point position corresponding to a state of said operation object, and for moving said virtual camera along a virtual line connecting said first view point position to said second view point position while keeping a state of capturing said operation object when the view point position is switched.

10-14. (Cancelled)

15. (Currently Amended) An image displaying method for a game system in which an object is arranged in a virtual three-dimensional space, the game system including a display device for displaying a game screen, an input device for outputting signals according to operations by a player, and a game control device for

Docket No. F-6916

Ser. No. 09/815,571

executing a game according to the program while checking the output of the input device and displaying a visual field image including said object moving to a moving direction on the game screen through the display device, the visual field image being viewed from a view point position in the virtual three-dimensional space, the method comprising the steps of:

determining one view point position between a first view point position which is a back and slightly inclined position toward the moving direction of said object to view an observation position point set forward of said object moving to the moving direction, and a second view point position on a side of said object relative to the moving direction and from which an observation point is viewed fixed in a lateral direction to the moving direction regardless of the movement of said object in accordance with a state of said object; and

switching between the first view point position and the second view point position when said object reaches a predetermined position by moving between the first and second view point positions on a line between them and while switching between the first and second view point positions, displaying the view field image from moving view point positions on the line between the first and second view point positions.

16. (Currently Amended) An image displaying method displaying a visual field image viewed from a predetermined view point position by a virtual camera

Docket No. F-6916

Ser. No. 09/815,571

toward an object moving in accordance with a player's operation in a virtual three-dimensional space, comprising;

a view point position setting device for setting a first view point position for viewing a predetermined observation point by following a movement of an operation object which is a back and slightly inclined position toward a moving direction of said object to view an observation point set forward of said object moving to the moving direction, and a second view point position for fixedly viewing said operation object in a predetermined direction on a side of said object relative to the moving direction and from which the observation point is viewed fixed regardless of the movement of said object in accordance with a state of said object; and

a virtual camera setting device for arranging said virtual camera by alternatively switching said first view point position to said second view point position in accordance with a state of said operation object, and moving said virtual camera along a line connecting said first view point position with said second view point position while keeping a state of capturing said operation object when the view point position is switched.

17. (Canceled)

18. (Currently Amended) A game system according to claim 1, wherein the position determining device is arranged to situate the second view point position

Docket No. F-6916

Ser. No. 09/815,571

aslant and to [[a]] the side of said object such that the side of said object is viewed on the game screen.

19. (Currently Amended) A computer readable recording medium according to claim 8, wherein the position determining device is arranged to situate the second view point position aslant and to [[a]] the side of said object such that the side of said object is viewed on the game screen.

20. (Currently Amended) A method according to claim 15, further comprising the step of determining the second view point position as a position aslant and to [[a]] the side of said object such that the side of said object is viewed on the game screen.